

PORODO



Porodo **VOLTAIR Car Tire Inflator**

SKU: PDGA08BK



Table of Contents

Product Overview	2
Specifications	2
Product Features	3
Operation Instructions	4
Control Panel Diagram	4
Recommended Air Pressure Table	5
Important Notes	5
Safety Precautions	5
FCC Statement	6
Disposal	7
Warranty	8
Contact Us	8

Product Overview

The Porodo Voltair Car Tire Inflator is a versatile and efficient tool designed for quick and easy tire repair on the go. It features a real-time pressure display, allowing users to monitor tire pressure with ease. The inflator supports a maximum pressure of 180 PSI, making it suitable for a wide range of vehicles, including motorcycles, bicycles, cars, and balls. Equipped with a heat dissipation vent, it ensures the inflator operates smoothly without overheating. Additionally, the device includes a battery reminder feature to alert users when the battery is low. The 30L/min airflow rate provides fast and efficient inflation, and the USB-C charging port ensures convenient and quick recharging. The inflator is also designed with a flashlight and SOS signal for added safety, making it an ideal companion for roadside emergencies or outdoor activities.

Specifications

Battery Capacity	2500mAh x3
Input Voltage	5V/2A
Rated Power	120W
Rated Voltage	11.1V
Inflation Pressure	180PSI Max
Noise Level	80dB
Working Time	30min
Charging Time	3.5h

Air Pump Flow Rate	30L/min
Inflation Time	4min (195/55/R16 Tire)
Inflation Modes	Automobile, Motorcycle, Bicycle, Ball
Charging Port	USB-C
Compatibility	Cars, Commercial Vehicles, SUVs, Vans, Electric Bicycles, Motorcycles, Bicycles, Balls, Swimming Rings
Accessories Included	USB-C Charging Cable, Air Hose, 4-Piece Nozzle Set
Product Weight	0.95kg
Product Size	67 x 77 x 190mm
Model Number	PDGA08

Product Features


- 1.It features a variety of inflation modes, each automatically setting an appropriate pressure value.
- 2.The preset tire pressure and real-time tire pressure are displayed simultaneously for easy monitoring.
3. A real-time power reminder alerts users when the remaining battery is low.
4. Automatic delay shutdown ensures energy efficiency.
5. A selection of air nozzles is available for different inflation needs.

Operation Instructions

1. When inflating, first connect the air pipe to the inflating pump, then connect it to the product.
2. Long-press the (⏻) button to start, and short-press the (M) button to switch the inflation mode (bicycle, motorcycle, car, ball, manual mode).
3. Long-press the (M) button to switch the unit (BAR, PSI, KPA, KG/CM²). Short-press the + / - button to adjust the preset pressure (refer to the recommended air pressure values for each mode).
4. Press the (⏻) button to start inflation, and press again to stop.
5. After inflation, first remove the air nozzle from the tire, then remove the air nozzle from the air pump.
6. When only one grid is left on the battery display, charge the product in time.
7. Short-press the (⏻) button to turn on the flashlight, short-press again to enter SOS mode, then press to turn it off (it can also be used when the product is turned off).

Control Panel Diagram

1. Mode
2. Current Pressure
3. Unit
4. Preset pressure
5. Battery reminder
6. Reduce pressure
7. Increase pressure
8. Lighting
9. Start/Stop/Switch
10. Mode/Unit



Recommended Air Pressure Table

a	Bicycle mode pressure range: 0.5-150PSI (Automatic jump 40 PSI)
b	Motorcycle mode pressure range: 2.0-3.0 BAR (Automatic Jump 2.5 BAR)
c	Car mode pressure range: 2.0-3.0 BAR (Automatic jump 2.5 BAR)
d	ball mode pressure range: 4-16 PSI (Automatic jump 9 PSI)
e	Manual mode pressure range: Self-regulate pressure

Important Notes

1. This product is suitable for use with cars, bicycles, electric vehicles, lifeboats, balls, etc. It is not intended for trucks or coaches.
2. When inflating multiple tires continuously, ensure an interval cooling time of more than 10 minutes.
3. When the indicator shows one light (low power), connect the power line to charge.
4. After extended use, the air pipe interface may become hot. Please operate with caution and ensure safe handling.

Safety Precautions

1. Always ensure the inflator is placed on a stable surface during operation to prevent accidental tipping.
2. Never overinflate tires beyond the recommended pressure to avoid damage to the tire or the inflator.
3. When using for extended periods, allow the inflator to cool down before

using it again to prevent overheating.

4. Keep the inflator away from water or moisture to avoid electrical hazards.
5. Always check for any visible damage to the air pipe, nozzles, or power cord before use.
6. Disconnect the power supply immediately if you notice any unusual sound, smell, or excessive heat during operation.
7. Keep the inflator out of reach of the children and pets.
8. Do not use the inflator for purposes other than its intended use (inflating tires, balls, etc.).
9. Ensure proper ventilation in the area where the inflator is being used to prevent overheating.

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference; and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for assistance.

RF warning statement:

The device has been evaluated to meet general RF exposure requirements.

The device can be used in portable exposure conditions without restriction.

Disposal

This product must not be disposed of as unsorted household waste. It is important to separate such waste for proper treatment and recycling, in compliance with local waste management regulations.



Warranty

Products that you buy directly from our **Porodo** website or shop come with a 24-month warranty.

When you buy **Porodo** products from any of our approved sellers, you only get a 12-month warranty. If you want to extend this warranty, go to our website at **<https://www.porodo.net/warranty>** and fill out the form with your information. Don't forget to upload a picture of the product too. After we've checked and accepted your request, we'll send you an email to confirm that your product's warranty has been extended.

For more info, please check:
<https://www.porodo.net/warranty>

Contact Us

If you have any questions about this Privacy Policy, please contact us at:

info@porodo.net

Website: **<https://www.porodo.net/>**

Service Support: **support@porodo.net**

Instagram: **porodo**